

International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Surgical scar before therapy and after 3 weeks of therapy



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Surgical scar before therapy and after 3 weeks of therapy



Centre 03 Dr. Alena Nejdková, M.D.

International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Surgical scar before therapy and after 3 weeks of therapy



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Surgical scar before therapy and after 3 weeks of therapy – keloid formation



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Surgical scar before therapy and after 3 weeks of therapy – keloid formation



Centre 03 Dr. Alena Neidková, M.D.

International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Burned area before therapy and after 3 weeks of therapy



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Surgical scar before therapy and after 3 weeks of therapy



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Scar on the chin before and after 3 weeks of placebo therapy

Scar under the chin before and after 3 weeks of therapy with Cicatrix® cream



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Upper scar before and after 3 weeks of placebo therapy

Lower scar before and after 3 weeks of therapy with Cicatrix® cream



Centre 03 Dr. Alena Nejdková, M.D.

International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Medial scar before and after 3 weeks of placebo therapy

Lateral scar before and after 3 weeks of therapy with Cicatrix® cream



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

**Upper scar before and after 3 weeks of placebo therapy,
Lower scar before and after 3 weeks of therapy with Cicatrix® cream**



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Upper scar before and after 3 weeks of placebo therapy

Lower scar before and after 3 weeks of therapy with Cicatrix® cream



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

**Scar on the left before and after 3 weeks of placebo therapy,
Scar on the right before and after 3 weeks of therapy with Cicatrix® cream**



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Upper scar before and after 3 weeks of placebo therapy

Lower scar before and after 3 weeks of therapy with Cicatrix® cream



International Multicentre Trial to verify the effects of applying Cicatrix® cream, CATALYSIS, S. L. Madrid, in patients with fresh surgical scars and traumatic wounds

Upper scar before and after 3 weeks of placebo therapy

Lower scar before and after 3 weeks of therapy with Cicatrix® cream

